

2000-1996

Y. Imai, M. Shiratori, M. Jikei and M. Kakimoto, "High pressure synthesis of new N,N-diphenyl-pendent aromatic ionene polymers from N,N,N',N'-tetraphenyl-m-xylylenediamine and aliphatic dihalides", *Macromol. Chem. Phys.*, **201**, 2316-2321 (2000)

X.-Q. Liu, K. Yamanaka, M. Jikei and M. Kakimoto, "Semicrystalline polyimides starting from AB-type monomers", *Chem. Mater.*, **12**, 3885-3891 (2000)

Y. Ishida, M. Jikei and M. Kakimoto, "Unusual thermal behavior of the aromatic polyamide dendrons", *Koubunshi Ronbunshu*, **57**, 825-829 (2000)

Y. Ishida, M. Jikei and M. Kakimoto, "Synthesis of Hyperbranched Aromatic Polyesters by Carbon Monoxide Insertion Reaction Using Palladium Catalyst", *Polym. Adv. Tech.*, **11**, 698-704 (2000)

X.-Q. Liu, M. Jikei and M. Kakimoto, "Synthesis and properties of aromatic polyimides derived from self-polycondensation of AB-type monomers", *J. Photopolym. Sci. Tech.*, **13**, 317-320 (2000)

K. Yamanaka, M. Jikei, M. Kakimoto, T. Nihira and T. Nakayama, "Preparation, dielectric and optical properties of hyperbranched aromatic polyimide via polyamic acid methyl ester precursor", *J. Photopolym. Sci. Tech.*, **13**, 321-322 (2000)

M. Jikei, K. Fujii, G. Yang and M. Kakimoto, "Synthesis and properties of hyperbranched aromatic polyamide copolymers from AB and AB₂ monomers by direct polycondensation", *Macromolecules*, **33**, 6228-6234 (2000)

C. Jung, T. Aoyama, T. Wada, H. Sasabe, M. Jikei and M. Kakimoto, "The photorefractive effect in monolithic structural polyimides", *High Perform. Polym.*, **12**, 205-212 (2000)

S. Akimoto, M. Jikei and M. Kakimoto, "Preparation and properties of novel aromatic polyimides from 4,4'-diamino-4"-hydroxytriphenylamine and aromatic tetracarboxylic dianhydrides", *High Perform. Polym.*, **12**, 197-203 (2000)

K. Yamanaka, M. Jikei and M. Kakimoto, "Synthesis of hyperbranched aromatic polyimides via polyamic acid methyl ester precursor", *Macromolecules*, **33**, 1111-1114 (2000)

K. Yamanaka, M. Jikei and M. Kakimoto, "Preparation and properties of hyperbranched aromatic polyimides via polyamic acid methyl ester precursors", *Macromolecules*, **33**, 6937-6944 (2000)

S. Akimoto, M. Jikei and M. Kakimoto, "A novel photosensitive polyimide: a polyimide containing the hydroxytriphenylamine structure with diazonaphthoquinone", *High Perform. Polym.*, **12**, 177-184 (2000)

J. Hamaya, N. Wakayama, M. Jikei and M. Kakimoto, "Formation mechanism of multilayer polyamic acid alkylamine salt Langmuir-Blodgett films", *Jpn. J. Appl. Phys.*, **39**, 2784-2790 (2000)

J. Hamaya, N. Wakayama, M. Jikei and M. Kakimoto, "Analysis of Microstructure of Polyamic Acid Alkylamine Salt Monolayers by Atomic Force Microscopy and Friction Force Microscopy", *Jpn. J. Appl. Phys.*, **39**, 248-251 (2000)

Y. Ishida, A. C. F. Sun, M. Jikei and M. Kakimoto, "Synthesis of hyperbranched aromatic polyamides starting from dendrons as AB_x monomers: Effect of monomer multiplicity on the degree of branching", *Macromolecules*, **33**, 2832-2838 (2000)

Y. Ishida, M. Jikei and M. Kakimoto, "Rapid synthesis of aromatic polyamide dendrimers by an orthogonal and a double-stage convergent approach", *Macromolecules*, **33**, 3202-3211 (2000)

S. Akimoto, M. Jikei and M. Kakimoto, "Polyimide containing an acetal structure with a photoacid generator: a novel positive polyimide photoresist", *High Perform. Polym.*, **12**, 185-195 (2000)

Y. Ishida, M. Jikei and M. Kakimoto, "Synthesis of Hyperbranched Aromatic Polyesters by Carbon Monoxide Insertion Reaction Using Palladium Catalyst", *Polym. Adv. Tech.*, **11**, 698 (2000)

K. Yamanaka, M. Jikei and M. Kakimoto, "Syntheses of soluble tert-butyl substituted poly(p-oxybenzoate)s", *Nonlinear Optics*, **22**, 51-54 (1999)

M. Jikei, S.-H. Chon, M. Kakimoto, S. Kawauchi, T. Imase and J. Watanabe, "Synthesis of Hyperbranched Aromatic Polyamide from Aromatic Diamines and Trimesic Acid", *Macromolecules*, **32**, 2061-2064 (1999)

G. Yang, M. Jikei and M. Kakimoto, "Synthesis and properties of hyperbranched aromatic polyamide", *Macromolecules*, **32**, 2215-2220 (1999)

K. Yamanaka, M. Jikei and M. Kakimoto, "Syntheses of soluble tert-butyl substituted poly(p-oxybenzoate)s", *High Perform. Polym.*, **11**, 219-226 (1999)

Y. Ishida, M. Jikei and M. Kakimoto, "Synthesis of aromatic polyamide dendrimers by an orthogonal approach", *J. Photopolym. Sci. Technol.*, **12**, 221-222 (1999)

S. Akimoto, D. Kato, M. Jikei and M. Kakimoto, "A novel main chain cleavable photosensitive polyimide: polyimide containing acetal structure with photoacid generator", *J. Photopolym. Sci. Tech.*, **12**, 245-248 (1999)

C. Jung, B. Park, M. Jikei, H. Takezoe and M. Kakimoto, "Orientational distribution of SHG chromophore on polyimide LB film", *Nonlinear Optics*, **22**, 123-126 (1999)

G. Yang, M. Jikei and M. Kakimoto, "Successful thermal self-polycondensation of AB₂ monomer to form hyperbranched aromatic polyamide", *Macromolecules*, **31**, 5964-5966 (1998)

G. Yang, M. Jikei and M. Kakimoto, "Synthesis and properties of novel aromatic hyperbranched polyamide prepared by direct polycondensation", *Proc. Japan Acad.*, **74(B)**,

188-191 (1998)

S. Akimoto, M. Jikei and M. Kakimoto, "Synthesis and photoresist property of a polyamide containing a naphthylurea moiety", *High Perform. Polym.*, **10**, 61-68 (1998)

C. Jung, M. Jikei and M. Kakimoto, "Synthesis of polyimide possessing NLO chromophore and properties of Langmuir-Blodgett films", *J. Photopolym. Sci. Technol.*, **11**, 211-216 (1998)

C. Jung, M. Jikei and M. Kakimoto, "Synthesis of polyamic acid possessing second-order nonlinear optical properties and its application to Langmuir-Blodgett films", *J. Opt. Soc. Am. B*, **15**, 471-476 (1998)

C. Jung, B. Park, M. Jikei, H. Takezoe and M. Kakimoto, "Orientational changes of side chain nonlinear chromophore in polyimide Langmuir-Blodgett films", *Jpn. J. Appl. Phys.*, **37**, 6636-6640 (1998)

S. M. Gross, R. D. Givens, M. Jikei, J. R. Royer, S. Khan, J. M. DeSimone, P. G. Odell and G. K. Hamer, "Synthesis and swelling of poly(bisphenol A carbonate) using supercritical CO₂", *Macromolecules*, **31**, 9090-9092 (1998)

K. Gaw, H. Suzuki, M. Jikei, M. Kakimoto and Y. Imai, "Synthesis of various polyimides using tetrahydrofuran/methanol as solvent", *Polym. J.*, **29**, 290-292 (1997)

Y. Seo, C. Jung, M. Jikei and M. Kakimoto, "Preparation and surface observation by scanning probe microscope of C60-containing polyimide Langmuir-Blodgett film", *Thin Solid Films*, **311**, 272-276 (1997)

Y. Seo, M. Jikei, M. Kakimoto and Y. Imai, "Synthesis of a novel C60-containing polyimide: a new 'charm-bracelet' type of polyimide and copolyimide", *High Perform. Polym.*, **9**, 205-214 (1997)

K. Gaw, M. Jikei, M. Kakimoto, Y. Imai and A. Mochizuki, "Adhesion behaviour of polyamic acid cured epoxy", *Polymer*, **38**, 4413-4415 (1997)

Y. Ishida, M. Jikei and M. Kakimoto, "Synthesis of Hyperbranched Aromatic Polyesters Prepared by the Palladium catalyzed CO Insertion Reaction", *Koubunshi Ronbunshu*, **54**, 891-895 (1997)

K. Miyatake, M. Jikei, K. Yamamoto and E. Tsuchida, "Synthesis of amorphous poly(thioarylene)s via oxidative polymerization of diaryl disulfides", *Macromol. Chem. Phys.*, **197**, 595-607 (1996)

A. Wu, T. Fujiwara, M. Jikei, M. Kakimoto, Y. Imai, T. Kubota and M. Iwamoto, "Electrical properties and electroluminescence of poly(p-phenylene vinylene) Langmuir-Blodgett film", *Thin Solid Films*, **284-285**, 901-903 (1996)

T. Suwa, M. Jikei, M. Kakimoto, Y. Imai, A. Tanaka and K. Yoneda, "Novel plasma polymerization system using a d.c. glow discharge", *Thin Solid Films*, **273**, 258-262 (1996)

M. Jikei, Z. Hu, M. Kakimoto and Y. Imai, "Synthesis of Hyperbranched Poly(phenylene

sulfide) via a Poly(sulfonium cation) Precursor", *Macromolecules*, **29**, 1062-1064 (1996)

A. Wu, T. Akagi, M. Jikei, M. Kakimoto and Y. Imai, "Optical Properties of Polyimide Langmuir-Blodgett Films containing 2,5-distyrylpyrazine", *Jpn. J. Appl. Phys.*, **35**, 6131-6134 (1996)

A. Wu, T. Akagi, M. Jikei, M. Kakimoto and Y. Imai, "New fluorescent polyimides for electroluminescent devices based on 2,5-distyrylpyrazine", *Thin Solid Films*, **273**, 214-217 (1996)