

2005-2001

K. Fu, S. Nakasugi, Y. Takagawara, L. Li, T. Hayakawa, M. Jikei, M. Tokita, M. Kakimoto, J. Watanabe, "Synthesis of New Type of Dendritic Molecules and Its Columnar Self-Assembly Having a Potential as Molecular Cavity", *J. Mol.Struct.*, **739(1-3)**, 125-130 (2005)

K.-L. Wang, M. Kakimoto, M. Jikei, "Preparation and Characterization of Low Degree of Branching Aromatic Polyamides from a New BB'B" Triamine Monomer and Dicarboxylic Acids", *High Perform. Polym.*, **17**, 225-238 (2005).

L. Li, R. Kikuchi, M. Kakimoto, M. Jikei, A. Takahashi, "Synthesis and characterization of new polyimides containing nitrile groups", *High Perform. Polym.*, **17**, 135-147 (2005).

K.-L. Wang, Y. Inai, M. Jikei, M. Kakimoto, "Syntheses and Properties of Different Degree of Branching Polyamides Derived from an ABB' Type Monomer, 4-(2,4-Diaminophenoxy) Benzoic Acid", *Polym. J.*, **36**, 804-811 (2004).

K.-L. Wang, M. Jikei, M. Kakimoto, "Synthesis of soluble branched polyimides derived from an ABB' monomer", *J. Polym. Sci. Part A, Polym. Chem.*, **42**, 3200-3211 (2004).

T. Miyazaki, R. Sagawa, T. Honma, S. Noguchi, T. Harada, A. Komatsuda, H. Ohtani, H. Wakui, K. Sawada, M. Otaka, S. Watanabe, M. Jikei, N. Ogawa, F. Hamada, H. Itoh, "73-kDa Molecular Chaperone HSP73 Is a Direct Target of Antibiotic Gentamicin", *J. Biolog. Chem.*, **279**, 17295-17300 (2004).

T. Kouketsu, M. Kakimoto, M. Jikei, S.-Y. Kim, "Synthesis of Polyamide Dendrons Bearing Pyridine Groups as Multiple Hydrogen Bonding Parts on the Periphery", *Polym. J.*, **36**, 513-518 (2004).

T. Kouketsu, K. Yokomachi, M. Kakimoto, M. Jikei, "Synthesis of Polyamide Dendrimers Bearing Multiple Hydrogen Bonding Parts on the Periphery", *High Perform. Polym.*, **16**, 611-624 (2004).

Y. Takagahara, L. Li, J. Hamaya, M. Jikei, M. Kakimoto, "Synthesis of the Amphiphilic Polyamide Dendrons and Their Monolayer Behavior", *Koubunshi Ronbunshu*, **60**, 762-769 (2003)

M. Jikei, K. Fujii and M. Kakimoto, "Synthesis and Characterization of Hyperbranched Aromatic Polyamide Copolymers Prepared from AB₂ and AB Monomers", *Macromol. Symp.*, **199**, 223-232, (2003)

K.-L. Wang, M. Jikei and M. Kakimoto, "Hyperbranched Aromatic Polyimides from Self-polycondensation of ABB' Monomer", *J. Photopolym. Sci. Tech.*, **16**, 267-268, (2003)

C.-S. Hong, M. Jikei and M. Kakimoto, "Synthesis and Characteristics of Hyperbranched Polybenzoxazoles via Poly(o-hydroxyamide) Precursors", *Polym. J.*, **35**, 859-867, (2003)

C.-S. Hong, M. Jikei and M. Kakimoto, "Negative-working Photosensitive Polybenzoxazoles Based on Hyperbranched Poly(o-hydroxyamide)s", *Polym. J.*, **35**, 586-591, (2003)

E. Schab-Balcerzak, M. Jikei and M. Kakimoto, "Thermal Rearrangement of Poly(o-hydroxyimide)s Synthesized from 4,6-Diaminoresorcinol Dihydrochloride", *Polym. J.*, **35**, 208-212, (2003)

M. Takeuchi, M. Jikei and M. Kakimoto, "Preparation of Composites of Hyperbranched Aromatic Poly(ethersulfone)s Possessing Sulfonic Acid Terminal Groups and Epoxy Resin for Polymer Electrolyte", *High Perform. Polym.*, **15**, 219-228, (2003)

L. Li, M. Jikei and M. Kakimoto, "Synthesis and Characterization of Main Chain Degradable Poly(amide-imide)s with Acetal Unit", *High Perform. Polym.*, **15**, 131-141, (2003)

J. Hao, M. Jikei and M. Kakimoto, "Synthesis and Comparison of Hyperbranched Aromatic Polyimides Having the Same Repeating Unit by AB₂ Step-polymerization and A₂+B₃ Polymerization", *Macromolecules*, **36**, 3519-3528, (2003)

C.-S. Hong, M. Jikei, R. Kikuchi and M. Kakimoto, "Chemically Amplified Photosensitive Polybenzoxazoles Based on tert-Butoxycarbonyl Protected Hyperbranched Poly(o-hydroxyamide)s", *Macromolecules*, **36**, 3174-3179, (2003)

L. Li, A. Sun, M. Jikei, and M. Kakimoto, "Synthesis of Acetal-containing Main Chain Degradable Type Photosensitive Polyimides", *High Perform. Polym.*, **15**, 65-76, (2003)

M. Takeuchi, M. Jikei and M. Kakimoto, "Preparation of Hyperbranched Aromatic Poly(ethersulfone)s Possessing Sulfonic Acid Terminal Groups for Polymer Electrolyte", *Chem. Lett.*, **32**, 242-243, (2002)

K.-M. Kim, M. Jikei, and M. Kakimoto, "Synthesis and Properties of Amphiphilic Hyperbranched Poly(dimethylsiloxane) Possessing Hydrophilic Terminal Group", *Polym. J.*, **34**, 755-760 (2002)

R. Kaneko, E. Suzuki, M. Jikei, and M. Kakimoto, "Preparation and Properties of Hyperbranched Aromatic Polyamide-silica Composites by Sol-Gel Method" *High Perform. Polym.*, **14**, 105-114 (2002)

M. Jikei, R. Mori, S. Kawauchi, M. Kakimoto, and Y. Taniguchi, "Synthesis and properties of hyperbranched poly(triphenylamine)s prepared by palladium catalyzed C-N coupling reaction", *Polym. J.*, **34**, 550-557 (2002)

R. Kaneko, M. Jikei, and M. Kakimoto, "Preparation and Properties of Photosensitive Polymers Based on Hyperbranched Aromatic Polyamides" *High Perform. Polym.*, **14**, 53 (2002)

J. Hao, M. Jikei, and M. Kakimoto, "Preparation of Hyperbranched Aromatic Polyimides by $A_2 + B_3$ Approach", *Macromolecules*, **35**, 5372-5381 (2002) .

C.-S. Hong, M. Jikei and M. Kakimoto, "Synthesis and Characterization of Hyperbranched Polybenzoxazoles", *J. Photopolym. Sci. Tech.*, **15**, 219-222 (2002)

K.-M. Kim, M. Jikei, and M. Kakimoto, "Preparation and Properties of Novel Hyperbranched Poly(dimethylsiloxane)s", *Polym. J.*, **34**, 275-279 (2002).

R. Kaneko, M. Jikei, and M. Kakimoto, "Preparation and Properties of Composite Materials Composed of Hyperbranched Aromatic Polyamide and Vinyl Polymers", *High Perform. Polym.*, **14**, 41-51 (2002)

K. Yamanaka, M. Jikei and M. Kakimoto, "Syntheses and Properties of Hyperbranched Aromatic Polyimides with Various End-groups", *J. Photopolym. Sci. Tech.*, **14**, 11-16 (2001)

M. Jikei, K. Fujii and M. Kakimoto, "Copolymerization Behavior of Direct Polycondensation of AB_2 and AB Monomers that Forms Hyperbranched Aromatic Polyamide Copolymers", *J. Polym. Sci. Part A, Polym. Chem.*, **39**, 3304-3310 (2001)

K. Yamanaka, M. Jikei and M. Kakimoto, "Preparation of Hyperbranched Aromatic Polyimide without Linear Units by End-Capping Reaction", *Macromolecules*, **34**, 3910-3915 (2001)

X.-Q. Liu, M. Jikei and M. Kakimoto, "Synthesis and Properties of AB-Type Semicrystalline Polyimides Prepared from Polyamic Acid Ethyl Ester Precursors", *Macromolecules*, **34**, 3146-3154 (2001)